The name of stainless steel products

evimetal®
INOX BUILDING SOLUTIONS

2018 GENERAL PRODUCT GUIDE



Shower Channels Towelrails Floor Drains
Balcony Drain WallLine SlimLine
Finishing Profile Decorative Profiles

Innovative Shower Drain from Evimetal, Tailor made Shower Channel with cuttable length up to 100 cm.

Shower Channel



Millimetric subtlety, elegant design

Evimetal Slot Shower Channels

Solutions for Shower

Evimetal presenting unlimited designs in bathrooms is now creating slim shower channel trend by SlimLine. Patented structure maintains easy installation and secure usage. Functionality with fineness and style is now in bathrooms with SlimLine.

Only 24 mm

Perfect visual finish with only 24 mm width SlimLine channels. Thanks to it's thin structure creating charm.

Easy Cleaning

Cover and dirt holder beneath can easily be removed and cleaned to get rid of unwanted particles.

Drain Body with Sealing

Solid metal body integrated with Evimetal sealing is designed for hard conditions and high flow rates.

Cutable structure, high precision

Channels and drain bodies manufactured in 60 and 100 cm can be cut into specific dimensions you desire. By this tailor made feature, channels can be easily used in projects even if there are different dimensions.

High Drainage Capacity

Slimline Slot shower channels despite having a thin structure, it can easily discharge high amount of flows when used with bigger showerheads and waterfall shower systems. Water can flow away easily under your feet. Traps with high drainage capacity and different cover and drain bodies are made to provide you the best solution for your project.

60

100

Shower Channels and Drain Body Options

NORMA
Slot Channel

One piece - 24 mm width with 3 thin slots gives an elegant outlook.



LINEA
Metal cover

One piece - 24 mm width helps to have a practial use.



Solutions for Shower

Trap structure that helps to have an easy installation by both center outlet and 360° swivel trap connecting to the waste pipes.

Drain body with centered trap outlet Slot Shower Channel

Shower Channel Options

Norma

Linea

+

Drain Body

Drain body with sealing

+

Trap Options

Side outlet
H:60 mm

Odourless S type
trap 42 l/min

Side outlet
H:80 mm

Odourless S type
trap 60 l/min

Vertical outlet
H:50 mm

Odourless S type
trap 48 l/min

Vertical outlet
H:50 mm

66 l/min

Side outlet
H:60 mm

66 l/min



Balcony and terrace drains
Easy installation by cuttable in specific dimensions
up to 600 cm

SlimLine Lineer channel



Desired dimension

Channels manufactured in optional dimensions of 100-200 and 300 cm can be cutable to have your tailor made solution.
By this tailor made feature, channels can be easily used in projects even if there are different dimensions.

100

200

300

600

Manufatured only for projects.

Natura

Evimetal lineer channels

Balcony and Terrace Solutions

SlimLine Lineer Channel thanks to along the length channel structure, issues like ponding or water accumulation can be eliminated while having a clean but also stylish look. A significant issue for the balcony cleaning is dismissed by the water directed to drain with Evimetal Lineer Channel.

Drain Body with Sealing

Solid metal body integrated with Evimetal sealing is designed for hard conditions and high flow rates.

High Drainage Capacity

You may already be witnessed to ponding caused by negative incline, wrong workmanship or product choice. These applications create not only problems for functionality but also creates unpleasant view. SlimLine lineer Channels can prevent these problems right from the installation. Together with the drain body with sealing and optional odourless traps, unwanted water will flow away.

Compatibility with Covering Material

Natura cover makes each covering material possible to be used by your desire.

Shower Channels and Drain Body Options

LINEA

Metal cover

One piece - 24 mm width helps to have a practial use.



NATURA

Compatible with your own covering material.

With NATURA cover a seamless installation is possible, compatible with each covering material you will use.



Balcony and Terrace Solutions

Trap structure that helps to have an easy and secure installation by both left or right outlet and 360° swivel trap connecting to the waste pipes.

Body with right or left side outlet

Shower Channel Options

Linea

LDK Natura

+

Drain Body

Drain body with sealing

+

Trap Options

Side outlet
H:60 mm

Odourless S-Type
trap 42 l/min

Side outlet
H:80 mm

Odourless S-Type
trap 60 l/min

Vertical outlet
H:50 mm

Odourless S-Type
trap 48 l/min

Vertical outlet
H:50 mm

66 l/min

Side outlet
H:60 mm

66 l/min

Technical Details

Application Details

Covering material

Evimetal insulation butil band

Adhesive

Insulation layer

Levelling concrete

Covering concrete

Body

Body with center trap outlet

Piece for leak proof Y.8096

Body height adjustment set Y.8085



A : 600mm I 1000mm

Body with side trap outlet

Piece for leak proof Y.8096

Body height adjustment set Y.8085



A : 600mm I 1000mm I 2000mm I 3000mm

Shower Channels

NORMA COVER

A : 600mm I 1000mm



LINEA COVER

A : 1000mm I 2000mm I 3000mm



LDK NATURA COVER



A : 1000mm I 2000mm I 3000mm

2 pcs of Prf 100 or Prf 400 profile should be ordered based on covering material.

Technical Details

Traps

Side outlet H:80 mm

Odourless S type

trap 60 l/min

SS. 8081



Side outlet H:60 mm

Odourless S type

trap 42 l/min

SS. 8082



Vertical outlet H:50 mm

Odourless S type

trap 48 l/min

SS. 8086



Vertical outlet H: 50 mm

No S type

66 l/min

SS. 8130



Side outlet H:60 mm

No S type

66 l/min

SS. 8135



Product Information

Shower Channels

Norma

60	LDK.1010.60.1.S.I	0,7	KG	3x4x55 cm
100	LDK.1010.100.1.S.I	1	KG	3x4x95 cm

Linea

60	LDK.1070.60.1.S.I	0,4	KG	5x5x55 cm
100	LDK.1070.100.1.S.I	0,5	KG	5x5x94 cm
200	LDK.1070.200.1.S.I	0,95	KG	5x5x194 cm
300	LDK.1070.300.1.S.I	1,33	KG	5x5x294 cm

LDK Natura

15	LDK.1090.8136.1.S.I	0,375	KG	9x3x15 cm

2 pcs of Prf 100 or Prf 400 profile should be ordered based on covering material.

Color Options

Satin 1.S.I

Color Options for Projects

Super Mirror 2.S.M

Anthracite 9.S.A

Mirror Gold 4.S.G

Satin Gold 3.M.G

Satin Bronze 7.S.B

Drain Body

60	HS.8066.60	1,2	KG	12x12x62 cm
100	HS.8066.100	1.7	KG	12x12x102 cm

100	HS.8066.100.MK	1.7	KG	12x12x102 cm
200	HS.8066.200.MK	4.8	KG	Ø 15x210 cm
300	HS.8066.300.MK	7,35	KG	Ø 15x310 cm

Trap Options

SS. 8081	Side outlet H:80 mm	Odourless S Type trap 60 l/min	0.38 KG	9x16x36 cm
SS. 8082	Side outlet H:60 mm	Odourless S Type trap 42 l/min	0.24 KG	7x13x31 cm

SS. 8086	Vertical outlet H:50 mm	Odourless S Type trap 48 l/min	0.23 KG	13x13x20 cm

SS. 8130	Vertical outlet H:50 mm	66 l/min	0.9 KG	10x10x12 cm

SS. 8135	Side outlet H:60 mm	66 l/min	0.14 KG	7x13x20 cm

SALES CONDITIONS

General Conditions

1-Sales Conditions

General sales conditions here are valid for all offers and sales agreements that are made by Evimetal Inox Yapı Ürünleri (hereinafter referred to as Evimetal). Customer's different purchase conditions shall be effective after the written consent of Evimetal.

2-Payments and Prices

If it is necessary, Evimetal may demand payment for all or a part of the cost along with the order. VAT is not included in prices and prices may be changed without any notice. Evimetal has the right to demand delay interest for delinquent bills. Delay interest to de demanded shall not be above legal rates. As a result of increases in items such as raw materials, labor force and energy, Evimetal has the right to change prices in its price offer. Exchange rate is calculated according to the selling rate of central bank in the date of the bill. Prices in the sales offer and discounts, if any, are valid for the specified date and right of change is reserved.

3-Changes in Orders and Amounts

Orders must be given via fax or in written with e-mail. Product code, amendment request, shipment address and information of person who will receive the product must be precisely written. In special productions, as a result of the structure of manufacturing process, +/- differences may occur in production amounts. Evimetal and its customer accept these differences that may arise at reasonable levels in advance. Evimetal may demand additional operation cost for orders under the amounts in price lists.

4- Shipments, Risks and Cancels

Shipment date of order, specified by Evimetal, shall not be seen as guarantee and must be considered an approximate and estimated date. Evimetal shall not be responsible for risks that may arise from delays as a result of strikes-shut outs, commercial disputes, machine faults, government interventions, natural disasters and other force majeure that is not listed here; and if Evimetal is forced to cancel it, customer shall be liable to pay the cost of the above mentioned product. Customer may cancel the order as a result of delays in delivery date arising from Evimetal however customer shall not demand compensation. All prices of the Evimetal, which are listed, are Evimetal ex-works and shipment costs belong to the buyer. Even if shipment of products, which are sent to the customer from Evimetal's warehouse, belongs to Evimetal, shipment risk belongs to the buyer. Customer shall check the product before accepting it and if there is any damage resulting from shipment (faults in the box, opening vs.), customer shall not accept the product and demand product cost from transport company.

5- Quality, Conformity and Responsibility Exceptions

Customer shall always control if the products he provides from Evimetal are conforms to the intended use. Evimetal guarantees that the products it provides are free of damage. Besides, customer accepts in advance that there may be slight differences in colors, appearance and sizes. All possible defects, damages or feature deficiencies must be reported to Evimetal before the assembly, within 7 days after the product is delivered. After this period Evimetal's responsibility shall only be for unseen defects. Evimetal's decision against proven defects is certain and unchangeable. In case there is a defect in products provided by Evimetal, Evimetal shall have the responsibility to change its products with their news or return the product price to its customer. This responsibility shall not be above the payment that is made by the customer for the order. Even if it is mentioned in current laws directly or indirectly; Evimetal shall not be held responsible for damages, personal injuries or deaths that may occur during the usage of the products provided by Evimetal.

6- Returns

Evimetal shall not accept the return of any product that is sold without written approval. Evimetal is free to accept or reject the return. Return of products with special sizes and content, which are produced according to the demand of the customer, is not possible. Shipment risks of products, whose return is approved by Evimetal, belong to the customer who returned the product. Only intact and unused products are within the scope of returns. When the product you returned is received by us, it is checked by the related department whether it is suitable to return conditions, or not. You must send the product with its invoice and its original package so that it is not damaged. Otherwise no product return shall be made. In case the product to be returned is defective, get information from your sales representative and send with the transport company that Evimetal has an agreement. Excluding Evimetal's faults, in all other causes of return transport cost belongs to the customer.

7-Operation Cost

In the shipments with original package, product may be damaged since courier company may stick their label or parcel tape on it and even if the product is delivered with all accessories and its invoice, operation cost is collected because the product will lose its sale ability and can not be sold again. Against operation cost, which will arise when products that are returned in direction of Evimetal's approval need to be stored again, Evimetal shall make out an invoice in the amount of 10%+VAT of the product cost.

8- Usage and Application

Evimetal has made necessary efforts and researches so that the information in the catalogue is correct regarding assembly, usage and technical aspects. Evimetal particularly indicates that it shall not be responsible for losses, damages and harms arising from the usage of explanations and technical information provided. User shall know that information in the catalogue are guiding and shall make the applications in this direction. Faults that may arise from the usage such as environmental conditions during the application and additional materials used shall not be acceptable.

9-Ownership of Products

Risk of the products shall be transferred to the customer with the delivery. Besides, even if the cost of products delivered to the customer is paid with check or bond, Evimetal shall maintain official ownership of the products until the entire price is collected. When customer receives the products, he accepts in advance that he is only the bailee of the products until he pays the all price and obtains ownership of the products. In case it is necessary, customer shall store these types of products apart from other products that are in his ownership.

10-Patent and Industrial Property Rights

All product designs, branding, packing and literature developed in line with these aspects are under patent and property of Evimetal, aforesaid rights shall not be transferred to the buyer as a result of the sale of the products.

11-Turkish Commercial Code applications

General Sales Conditions listed here are subject to general applications of Turkish Commercial Code.

This catalog is subject to copyrights. Evimetal has all the rights regarding the usage of pictures, statements and details. No part of this publication can be copied without permission of Evimetal. Breaches shall be subjected to legal actions.

evimetal®

INOX BUILDING SOLUTIONS

evimetal.com.tr | +90 212 475 84 88 | info@evimetal.com.tr